

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## ALGEBRA.

100. Proposed by W. H. CARTER, Vice President and Professor of Mathematics, Centenary College, Jackson, La.

Solve,  $x^{x+y}=y^{4a}$ ,  $y^{x+y}=x^a$ .

101. Proposed by G. B. M. ZERR, A. M., Ph. D., Professor of Mathematics and Science, Chester High School. Chester. Pa.

Prove that 
$$(1+2+3+\ldots+n)+\frac{n}{2!}(1^2+2^2+3^2+\ldots+n^2)+\frac{n(n-1)}{3!}(1^3+2^3+3^3+\ldots+n^3)+\frac{n(n-1)(n-2)}{4!}(1^4+2^4+3^4+\ldots+n^4)+\ldots$$

$$+\frac{n(n-1)(n-2)}{4!}(1^{n-3}+2^{n-3}+3^{n-3}+\ldots+n^{n-3})+\frac{n(n-1)}{3!}(1^{n-2}+2^{n-2}+3^{n-2}+\ldots+n^{n-2})+\frac{n}{2!}(1^{n-1}2^{n-1}3^{n-1}+\ldots+n^{n-1})+(1^n+2^n+3^n+\ldots+n^n)$$
= $(n+1)^n-1$ , and substitute for  $n=2$ , 3, 4, 5, and 6.

\*\*\* Solutions of these problems should be sent to J. M. Colaw not later than June 10.

## GEOMETRY.

120. Proposed by P. C. CULLEN, Principal Public Schools, Indianola, Neb.

Draw a circle tangent to a given circle and tangent to a given chord at a given point.

121. Proposed by AUGUSTUS J. REEF, Carbondale, Ind.

Construct a triangle having given its three medians. [From Wentworth's Plane and Solid Geometry].

122. Proposed by G. I. HOPKINS, A. M., Professor of Mathematics and Physics, Manchester High School, Manchester. N. H.

If perpendiculars are dropped from the vertices of a regular polygon upon any diameter of the circumscribed circle, the sum of the perpendiculars which fall on one side of this diameter is equal to the sum of those which fall on the opposite side. [From Chauvenet's Treatise on Elementary Geometry.

\*\* Solutions of these problems should be sent to B. F. Finkel not later than June 10.

## CALCULUS.

90. Proposed by ELMER SCHUYLER, High Bridge, N. J.

Prove that the evolute of the logarithmic spiral is an equal logarithmic spiral. [From Byerly's Integral Calculus].

91. Proposed by GUY B. COLLIER, Schenectady, N. Y.

Find the area of a loop of the curve  $r^2 \cos \theta = a^2 \sin 3\theta$ . [From Hall's Differential and Integral Calculus].

\*\* Solutions of these problems should be sent to J. M. Colaw not later than June 10.